



BC BUILDING PRODUCTS
THE ENVELOPE SPECIALISTS

SAFETY DATA SHEET

Boracol 10-2BD

Manufacturer: Sansin Corporation

The following pages are the manufacturer's original document,
reproduced unaltered (revision date 2018-03-18).

Always refer to the manufacturer's most current SDS.

SUPPLIED BY BC BUILDING PRODUCTS

8241 129 St, Surrey, BC V3W 0A6

604-540-9040 · sales@bcbp.ca · bcbp.ca

Safety Data Sheet according to WHMIS 2015



1: IDENTIFICATION

Product Name: BORACOL 10-2BD

Preservative and Remedial Wood Preservative

PCP Registration: 25665

Product Form: Glycol borate solution

Recommended Use and Restrictions: Wood preservative for structures and other surfaces

Product supplier: Sasco Products Limited, 10 Ilsley Avenue, Unit 3, Dartmouth, NS, Canada

Emergency Phone: 902-489-6366 (emergency only, for regular information call 902-468-2126)

2: HAZARD IDENTIFICATION

Classification:

- Skin Irritation Category 2
- Eye Irritation Category 2

Pictogram:

Signal word: Warning

Hazard statement:

- H315 - Causes skin irritation
- H319 - Causes serious eye irritation

Precautionary statements:

- P101 - If medical advice is needed, have product container or label at hand
- P102 - Keep out of reach of children
- P280 - Wear protective gloves/eye protection/face protection
- P332+P313 - If skin irritation occurs, get medical advice/attention
- P337+P313 - If eye irritation persists, get medical advice/attention
- P501 - Dispose of contents/container in accordance with local regulations

Other hazards: The product contains organic solvents. Repeated exposure to organic solvents may cause damage to the central nervous system and internal organs, e.g. liver and kidney.

3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient name	%	CAS Number
1,2-Propanediol	10 - 40	57-55-6
Disodium octaborate tetrahydrate	9.8	12280-03-4
Didecylidimethylammonium chloride	1 - 2	7173-51-5

4: FIRST AID MEASURES

Inhalation: Seek fresh air. Keep victim under observation. Seek medical advice in case of persistent discomfort.

Skin contact: Immediately remove contaminated clothing. Wash the skin thoroughly with water and continue washing for a long time. If skin irritation occurs: Get medical advice/attention.

Eye contact: Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes. Open eye wide. Remove any contact lenses. Seek medical advice.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Get medical advice/attention.

Additional information: When obtaining medical advice, show the safety data sheet or label.

Most important symptoms and effects: See section 11.

5: FIRE-FIGHTING MEASURES

Extinguishing media: Extinguish with powder, foam, carbon dioxide, or water fog. Do not use water stream, as it may spread the fire.

Specific hazards arising from the hazardous product: The product is not directly flammable. Avoid inhalation of vapor and fumes - seek fresh air. Hazardous fumes are formed in fire conditions. Exposure to decomposition products may cause a health hazard.

Special protective equipment and precautions for fire-fighters:

Send contaminated extinguishing water for destruction. If there is a risk of exposure to vapor and flue gases, a self-contained breathing apparatus must be worn.

6: ACCIDENTAL RELEASE MEASURES

Put on appropriate PPE (see Section 8). Stop leak and remove container from spill area. Prevent run-off from entering waterways, drains and sewers. Take up spill with sand or other absorbent material for disposal at authorized sites.

7: HANDLING & STORAGE

Precautions of safe handling: See section 8 for information about precautions for use and personal protective equipment. Use the product under well-ventilated conditions, preferably outdoors. Running water and eye wash equipment should be available.

Conditions of storage: The product should be stored safely, out of reach of children and away from food, drugs, and animal feeding stuffs. Keep tightly sealed in original containers, and store in a dry, cool, and well-ventilated area.

8: EXPOSURE CONTROL/PERSONAL PROTECTION

Control parameters:**DNEL - 1,2-Propanediol:**

Inhalation long term systemic effects - Workers: 168 mg/m³

Inhalation long term local effects - Workers: 10 mg/m³

Inhalation long term systemic effects - General population: 50 mg/m³

Inhalation long term local effects - General population: 10 mg/m³

DNEL - Boric acid:

Dermal long term systemic effects - Workers: 392 mg/kg bw/day

Inhalation long term systemic effects - Workers: 8.3 mg/m³

Oral Short term systemic effects - General population: 0.98 mg/kg bw/day

Oral long term systemic effects - General population: 0.98 mg/kg bw/day

Dermal long term systemic effects - General population: 196 mg/kg bw/day

Inhalation long term systemic effects - General population: 4.15 mg/m³

DNEL - Disodium tetraborate, anhydrous:

Dermal long term systemic effects - Workers: 316.4 mg/kg bw/day

Inhalation long term systemic effects - Workers: 6.7 mg/m³

Inhalation long term local effects - Workers: 11.7 mg/m³

Oral short term systemic effects - General population: 0.79 mg/kg bw/day

Oral long term systemic effects - General population: 0.79 mg/kg bw/day

Dermal long term systemic effects - General population: 159.5 mg/kg bw/day

Inhalation long term systemic effects - General population: 3.4 mg/m³

Inhalation long term local effects - General population: 11.7 mg/m³

DNEL - Didecylidimethylammonium chloride:

Dermal long term systemic effects - Workers: 8.6 mg/kg bw/day

Inhalation long term systemic effects - Workers: 18.2 mg/m³

DNEL - 2-Propanol:

Dermal long term systemic effects - Workers: 888 mg/kg bw/day

Inhalation long term systemic effects - Workers: 500 mg/m³

Oral long term systemic effects - General population: 26 mg/kg bw/day

Dermal long term systemic effects - General population: 319 mg/kg bw/day

Inhalation long term systemic effects - General population: 89 mg/m³

PNEC	Water Fresh	Water Marine	Water Intermittent Releases	Soil
1,2-Propanediol	260 mg/L	26 mg/L	183 mg/L	50 mg/kg soil dw
Boric acid	2.9 mg/L	2.9 mg/L	13.7 mg/L	5.7 mg/kg soil dw
Disodium tetraborate, anhydrous	2.9 mg/L	2.9 mg/L	13.7 mg/L	5.7 mg/kg soil dw
Didecyltrimethylammonium chloride	2 µg/L 0.2	µg/L 0.29	µg/L	1.4 mg/kg soil dw
2-Propanol	140.9 mg/L	140.9 mg/L	140.9 mg/L	28 mg/kg soil dw

Appropriate engineering controls: Ensure good ventilation of the work area.

Individual protection measures:

Breathing equipment: In case of insufficient ventilation, wear respiratory protective equipment.

Hand protection: Wear protective gloves made of nitrile rubber, neoprene rubber, or butyl rubber.

Eye protection: Wear safety goggles if there is a risk of eye splash.

Body and skin protection: Special work clothing should be used.

Environmental exposure controls: Ensure compliance with local regulations for emissions.

9: PHYSICAL & CHEMICAL PROPERTIES

Appearance: Clear viscous liquid

Odor: Almost negligible

Melting/freezing point: No data available

Flash point: >150°C

Vapor pressure: No data available

Decomposition temperature: No data available

Partition coefficient: No data available

Auto-ignition temperature: >350°C

pH: Approximately 7

Odor threshold: No data available

Boiling range: 101°C

Evaporation rate: No data available

Vapor density: No data available

Solubility: Miscible

Viscosity: 110 ± 1

Specific gravity: 1.04

VOC material: 138 g/L

VOC regulatory: 688 g/L

10: STABILITY & REACTIVITY

Reactivity: Non-reactive under normal conditions of use, storage, and transport

Chemical stability: Stable when used in accordance with the supplier's directions

Possibility of hazardous reactions: None known

Conditions to avoid: None known

Incompatible materials: Avoid contact with strong oxidizing agents

Hazardous decomposition products: Product decomposes in fire conditions or heated to high temperatures, in which cases toxic gases such as NO_x and CO_x may be released.

11: TOXICOLOGICAL INFORMATION

Substance	LD50 Oral	LC50 Inhalation	LD50 Dermal
1,2-Propanediol	22000 mg/kg bw	>317042 mg/m ³ air	>2000 mg/kg bw
Boric acid	>2600 mg/kg bw	>2.03 mg/L air - 5 h	>2000 mg/kg bw
Disodium tetraborate, anhydrous	3450 mg/kg bw	>2.03 mg/L air - 5 h	>2000 mg/kg bw
Didecyltrimethylammonium chloride	329 mg/kg bw	–	>1000 mg/kg bw
2-Propanol	5.84 g/kg bw	>10000 ppm - 6 h	16.4 mL/kg bw

Symptoms

- The product releases organic solvent vapors which, if inhaled, may cause lethargy and dizziness. At high concentrations, the vapors may cause headache and intoxication.
- Ingestion may cause discomfort.
- Skin contact may cause reddening
- Eye contact causes a burning sensation and tearing.
- Prolonged or repeated exposure by skin contact or inhalation of vapors may cause damage to the central nervous system.
- The product contains boric acid and disodium tetraborate, anhydrous, which is a suspected reproductive hazard.

12: ECOLOGICAL INFORMATION

Substance	Fish - 96 h	Daphnia - 48 h	Algae - 72 h
1,2-Propanediol	LC50: 40613 mg/L	LC50: 18340 mg/L	EC50: 24200
Boric acid	LC50: 600 mg/L	LC50: 142 mg/L	–
Disodium tetraborate, anhydrous	LC50: 74 mg/L	–	–
Didecyltrimethylammonium chloride	LC50: 0.49 mg/L	EC50: 0.029 mg/L	EC50: 0.156 mg/L
2-Propanol	LC50: 9640 mg/L	LC50 24h: >10000 mg/L	–

13: DISPOSAL CONSIDERATIONS

Dispose of contents/container in accordance with local regulations

14: TRANSPORTATION INFORMATION

Not classified as a dangerous good under transportation regulations

15: REGULATORY INFORMATION

This product is regulated under the Pest Control Products Act in Canada.

16: OTHER INFORMATION

Date of issue: 2018-03-18

Revision date: 2018-03-18

The information and data contained herein is believed to be accurate at the time of preparation and has been obtained from sources believed to be generally reliable. No warranty or liability for the accuracy is made and no liability will be assumed for claims arising from any party's use of or reliance on information contained herein.