



**BC BUILDING PRODUCTS**  
THE ENVELOPE SPECIALISTS

---

TECHNICAL DATA SHEET

# TREMstop® FS Blanket

Manufacturer: Tremco CPG Inc.

The following pages are the manufacturer's original document,  
reproduced unaltered (data sheet ref. TSFSB-DS/0523).

**SUPPLIED BY BC BUILDING PRODUCTS**

8241 129 St, Surrey, BC V3W 0A6

604-540-9040 · sales@bcbp.ca · bcbp.ca



# TECHNICAL DATA SHEET

## TREMSTOP® FS BLANKET

A Firestopping Fiber Blanket

### PRODUCT DESCRIPTION

TREMstop® FS Blanket is a bio-soluble fiber insulation developed from a calcia, magnesia, silica chemistry to provide thermal insulation at operating temperatures up to 1832 °F (1000 °C).

### BASIC USES

TREMstop FS Blanket is used as a packing material around metal pipe penetrations, cables and cable trays and in joints.

### FEATURES AND BENEFITS

- TREMstop FS Blanket has low thermal conductivity making it the ideal choice when a high level of fire protection is required.

### AVAILABILITY

Immediately available from your local Tremco Sales Representatives, Tremco Distributor or Tremco Warehouse.

### PACKAGING

TREMstop FS Blanket 1/2" x 3" x 25' 16 rolls/case

TREMstop FS Blanket 1/2" x 6" x 25' 8 rolls/case

### APPLICABLE STANDARDS

- UL 2079
- UI 1479 (ASTM E-814)
- UL 263 (ASTM E-119)
- UL 723 (ASTM E-84)
- CAN4-S115M
- CAN/ULC-S101M

### LIMITATIONS

- Not recommended for use with passive fire containment systems not listed or approved by Tremco.

### WARRANTY

A repair or replacement warranty is available on all Tremco products. Visit <https://www.tremcosealants.com/warranties/> for details.


### TYPICAL PHYSICAL PROPERTIES

| PROPERTY      | TEST METHOD | TYPICAL VALUES    |
|---------------|-------------|-------------------|
| Flame Spread  | ASTM E84    | 0                 |
| Melting Point |             | 2300 °F (1260 °C) |
| Density       |             | 8 pcf (128 kg/m)  |

Please refer to our website at [www.tremcosealants.com](http://www.tremcosealants.com) for the most up-to-date Product Data Sheets.

**NOTE:** All Tremco Safety Data Sheets (SDS) are in alignment with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) requirements.

TSFSB-DS/0523



Tremco Construction Products Group (CPG) brings together Tremco CPG Inc. and its Dryvit and Nudura brands; Willseal; Prebuck LLC; Tremco Barrier Solutions, Inc.; Weatherproofing Technologies, Inc. and its Pure Air Control Services and Canam Building Envelope Specialists offerings; and Weatherproofing Technologies Canada, Inc.



[tremcosealants.com](http://tremcosealants.com) | 800.321.7906



*Construction Products Group*

3735 Green Rd. | Beachwood, OH 44122  
800.321.7906 | [tremcocpg.com](http://tremcocpg.com)